

KHARASH, L.I.

Self-adjusting system for the control of initial gas penetration  
into a sinter burden. Obog. rud 6 no.2:43-45 '61. (MIRA 14:8)  
(Sintering) (Granular materials--Permeability)

GUSEV, D., inzhener; KHARASH, M., inzhener.

Device for cutting glass pipes. Stroitel' no.2:11 P '57.

(MLRA 10:3)

(Pipe, Glass) (Glass cutting)

KHARASH, M., inzh.

Repair of hatch covers at the Odessa Ship Repairing  
Yard No.1. Mor.flot 26 no.1:32-33 Ja '66.

(MIRA 19:1)

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5

PLANOYERKAYA, N. A.; BAZHIN, B. S.; KIRSANOV, O. K.; KHARAB, M. S.

"The use of mechanized dryers as reaction and drying apparatuses."

Sci Res Inst of Organic Intermediate Products & Pigments, Bereznikov Branch  
of SRI OIP and P

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5"

KISLYUK, F.I., doktor tekhn.nauk; KHARASH, M.Ya., inzh.

Projection welding of steel parts of various thickness. Svar.proizv.  
no.10:24-26 O '64.  
(MIRA 18:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy i proyektno-tehnologicheskiy  
institut ugol'nogo mashinostroyeniya.

KHARASH, M. Ye. (Engineer) (VNIITuglemash)

"Results of investigation of conditions of relief welding of low-carbon steels of thicknesses 3+8 mm, 6+10 mm, 4+16 mm and 6+16 mm on an MTP-200 machine."

Report presented at the regular conference of the Moscow city administration NTO Mashprom, April 1963.

(Reported in Avtomaticheskaya Svarka, No. 8, August 1963, pp 93-95, M. M. Popekhin)

JPRS24,651 - 19 May 64

KORANDO, V.A.; KHARASH, V.M.

"Cream separation" by N.N.Lipatov. Reviewed by V.A.Korando and  
V.M.Kharash. Izv. vys. ucheb. zav.; pishch. tekhn. no.5:167-168  
'61. (MIRA 15:1)  
(Cream separators) (Lipatov, N.N.)

LEYBMAN, ..G.; KHARASH, V.M.

[pecial equipment for the dairy industry] Neseriinoe  
oborudovanie molochnoi promyshlennosti. Moskva,  
TSentr. in-t nauchno-tekh. informatsii pishchevoi pro-  
myshl., 1963. 43 p.  
(VIRA 17:9)

CHACHANIDZE, G.D.; KARUMIDZE, Z.A.; KHARASHVILI, TS.G.; Prinimals.  
uchastiye: SHOSHIASHVILI, E.

Conversion reactions of mixed nitrate salts. Trudy Inst.prikl.  
khim.i elektrokhim.AN Gruz.SSR 3:169-180 '62. (MIRA 16:1)  
(Nitrates) (Ammonium nitrate)

KHARASKHAL, V.Kh. (Alma-Ata)

Quasi-periodic solutions to differential equations. Izv. vys.  
ucheb. zav.; mat. no.2:152-164 '64.  
(MIRA 17:8)

Качаров Николай Степанович 1947

Борис Годунов Адмиралтейские бассейны и ветровые суда. Ученые работы по морскому флоту. Вып. 1. Типография Императорского Академического Морского Ведомства. 1842. № 305 с., исп. (17, цвет. рис.).

308 1946, 14-10  
187 Азовское *Proteros*  
Самарская область, 1949.  
Груша (Ишер)  
308 1946, 21-6.

Digitized by srujanika@gmail.com

Издано в Риге в сокращении с оригинала на русском языке в 1948 году.  
Издательство «Латвийской ССР», Рига, Латвия.  
Переводчик Т. Г. Григорьев.  
Редактор А. А. Красильников.  
Корректоры С. А. Борисов, А. А. Красильников.  
Технический редактор А. А. Красильников.  
Художник А. А. Красильников.  
Макет А. А. Красильников.  
Компьютерная верстка А. А. Красильников.  
Компьютерный дизайн А. А. Красильников.  
Издательство «Латвийской ССР», Рига, Латвия.  
Год выхода 1948 г.  
Бумага офсетная.  
Формат 84x108/16.  
Печать офсетная.  
Услуги по работе с бумагой и т. д. предоставлены АО «Латвийский полиграфический комбинат».

Mar. 1947. 400 c.  
367. 493, 48.  
881. Kairasse. Mian Panache  
Sorayama, T. I., 1952.  
384. 1-11.  
883. Drosana. Matsuna. Cera-

3. 597 t. [pozo] Bas. A. pinc. [17] Hes-  
terea t. 3 [18]

348 196, 103  
Гр. Нест. подл. "5" 6 (11).  
Заг. 1969, 23.2

11

Dancer *Bentley's* 1860

卷之三

卷之三

104

卷之三

卷之三

**APPROVED FOR RELEASE: 09/17/2001**

CIA-RDP86-00513R000721810007-5"

KHARAZISHVILI, G.D.

Absorption from the rectum. Elem.prokt. no.2:61-72 '60.

(RECTUM)

(MIRA 14:11)

(ABSORPTION (PHYSIOLOGY))

KHARASHVILI, G.I.; DZHAPARIDZE, M.N.

Some characteristics of the geology of the middle Dzhedzhora  
Valley. Trudy GPI [Gruz.] no.2:3-11 '63. (MIRA 17:9)

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5

KHARASHVILI, G. I.

1963 Jan in the Vere River Basin and the northern Talysh inst. lega  
AN Gruz. SSR 12:81-92 '63.  
(MFA 18:2)

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5"

MATSKEPLADZE, I.B., nauchnyy sotrudnik; GUGUSHVILI, K.F., nauchnyy sotrudnik;  
BREGADZE, M.A., nauchnyy sotrudnik; KHARATISHVILLI, G., nauchnyy  
sotrudnik

Preservation and use of bull and ram semen in a frozen state.  
Zhivotnovodstvo 22 no.2:77-78 F '60. (MIRA 15:11)

1. Gruzinskiy nauchno-issledovatel'skiy institut zhivotnovodstva  
i veterinarii.  
(Bulls) (Rams) (Semen--Preservation)

KHARATISHVILI, G. L.

Cand Phys-Math Sci - (diss) "Theory of optimal processes involving retardation." Tbilisi, Pub. Tbilisi State Univ, 1961. 8 pp; (Tbilisi State Univ imeri Stalin); 180 copies; free; (KL, 7-61 sup, 220)

88561

16-9500 (1631, 1121, 1132)

AUTHOR: Kharatishvili, G.L.S/020/61/136/001/006/037  
C111/C222TITLE: The Maximum Principle in the Theory of Optimal Processes  
Involving Delay

PERIODICAL: Doklady Akademii nauk SSSR, 1961, Vol.136, No.1, pp. 39 - 42

TEXT: The results of the present paper generalize the maximum principle of L.S. Pontryagin (Ref. 1) to processes with a delay and were obtained in the seminar of L.S. Pontryagin on mathematical problems of oscillations and control.

The author considers systems

(1)  $\dot{x}^i(t) = f^i(x(t), x(t - \tau), u(t))$ ,  $i = 1, \dots, n$ ,  $\tau = \text{const} > 0$

where  $x^i$  are continuous in all arguments and continuously differentiable with respect to both first arguments, and  $u(t)$  shall be piecewise continuous with discontinuities of first kind. ✓The author seeks a control mechanism  $u(t)$  so that the solution  $x(t)$ ,  $t_0 - \tau \leq t \leq t_1$ , of (1) which corresponds to a certain initial function  $\psi(t)$  ( $x(t_0) = \psi(t_0)$ ) and in  $t_1$ , satisfies a boundary value condition

Card 1/3

88561

S/020/61/136/001/006/037  
C111/C222

The Maximum Principle in the Theory of Optimal Processes Involving Delay ( $x(t_1)$ ) shall lie on a smooth  $k$ -dimensional manifold  $M^k$ ,  $0 \leq k \leq n$ ), gives a minimum to the integral

$$(2) \quad \int_{t_0}^{t_1} f^0(x(t), x(t - \tilde{t}), u(t)) dt$$

where the scalar function  $f^0$  has the same properties as the  $f^i$ . (The limits of integration are not fixed : it is only given  $\psi(t)$ ,  $t_0 - \tilde{t} \leq t \leq t_0$ , and  $x(t) \in M^k$ ). ✓

The principal result asserts that if  $x(t)$  is the optimal trajectory which corresponds to the sought  $u(t)$  then there exists a certain vector function the components of which together with the components of  $x(t)$  satisfy a certain system of partial differential equations. Here the function  $\psi(t)$  has the property that for it the scalar function

$$H(\vec{\psi}, x, y, u) = \sum_{\alpha=0}^n \psi_\alpha f^\alpha(x, y, u), \text{ where } x \text{ is a}$$

Card 2/3

88561

S/020/61/136/001/006/037  
C111/C222

## The Maximum Principle in the Theory of Optimal Processes Involving Delay

solution of (1),  $y = x(t - \tau)$ , reaches its maximum (maximum principle). Thus the determination of the optimal trajectory leads to the solution of a certain system of differential equations. In the practical performance, however, there appears the great difficulty that in the system in question the unknown functions depend on three kinds of arguments : on  $t$ ,  $t - \tau$  and  $t + \tau$ . This difficulty is dropped for linear systems

$$(10) \quad \dot{x}^i(t) = \sum_{\alpha=1}^n a_{\alpha}^i x^{\alpha}(t) + \sum_{\alpha=1}^n b_{\alpha}^i x^{\alpha}(t - \tau) + \sum_{B=1}^r c_B^i u^B(t) ,$$

where  $x = (x^1, \dots, x^n) \in X^n$  and  $u = (u^1, \dots, u^r)$  is a point of convex closed bounded polyhedron. In this case  $\psi(t)$  can be obtained from a system which is independent of  $x(t)$  and  $u(t)$ . There are 3 Soviet references.

ASSOCIATION: Matematicheskiy institut imeni V.A. Steklova Akademii nauk  
Card 3/3 SSSR (Mathematical Institute imeni V.A. Steklov of the  
Academy of Sciences USSR)

PRESENTED: July 4, 1960, by L.S. Pontryagin, Academician  
SUBMITTED: July 2, 1960

KHARATISHVILI, G.L.

A method for calculating the least proper number of an integral  
equation of a special type. Trudy Vych.tsentra AN Gruz,SSR  
2:283-284 '62. (MIRA 16:1)  
(Integral equations)

GAMKETASHVILI, L.G.; KANDELAKI, N.P.; MARUASHVILI, T.I.; OKROASHVILI,  
G.G.; KHARATISHVILI, G.L.; KVAVILASHVILI, A.M.

Solution of some problems by new methods, using electric  
models with d.c. amplifiers. Trudy Vych.tsentra AN Gruz.SSR  
2:319-334 '62. (MIRA 16:1)  
(Electromechanical analogies) (Electronic calculating machines)

ACCESSION NR: AP4018347

S/0251/64/033/001/0003/0007

AUTHOR: Kharatishvili, G. L.

TITLE: Processes which are optimal in the high speed sense in linear controllable systems with delay (Presented by the academician G. S. Chogoshvili, March 31, 1962)

SOURCE: AN GruzSSR. Soobshcheniya, v. 33, no. 1, 1964, 3-7

TOPIC TAGS: optimal process, high speed process, linear controllable system, system with delay, optimal control, optimal trajectory

ABSTRACT: The author studies the problem of optimality in the high-speed sense for a linear controllable system with a delaying argument. He explains the structure of the optimal control and proves a uniqueness theorem for the optimal control and the corresponding optimal trajectory. The system of equations of motion of the phase point  $x(t) = (x^1(t), \dots, x^n(t))$  is taken in the form

$$\frac{dx^i(t)}{dt} = \sum_{a=1}^n a_i^a x^a(t) + \sum_{a=1}^{n-1} b_i^a x^a(t-\tau) + \sum_{\beta=1}^r c_{i\beta}^a u^\beta(t); \quad (1)$$

 $i = 1, \dots, n, \tau = \epsilon > 0,$ 

Card 1/2

ACCESSION NR: AP4018347

The problem is to choose, in the class of admissible controls, a control  $u(t)$ ,  $t_0 \leq t \leq t_1$ , such that the trajectory  $x(t)$ ,  $t_0 \leq t \leq t_1$  of (1) corresponding to the control  $u(t)$  and a given initial function  $\varphi(t)$ ,  $t_0 - T \leq t \leq t_0$ , will satisfy the boundary condition  $x(t_1) \in M$  and the variable  $t_1 - t_0$  will be a minimum. Orig. art. has: 8 formulas.

ASSOCIATION: Akademiya nauk Gruzinskoy SSR, Vyчислител'nyy tsentr (Academy of Sciences, Georgian SSR, Computing Center)

SUBMITTED: 05Apr62

DATE ACQ: 19Mar64

ENCL: 00

SUB CODE: MM

NO REF Sov: 004

OTHER: 000

Card 2/2

MENTIKASHVILI, O.; KHARATISHVILI, L.

Geochemistry of Tiflis and adjacent regions. Trudy GPI [Gruz.]  
no.2:69-79 '63.  
(MIRA 17:9)

ACC REF: AR60311.

SOURCE CODE: UR/0274/66/000/006/A013/A013

AUTHOR: Kharatishvili, N. G.

TITLE: Determining the Q-factor of nonlinear inductance circuits

SOURCE: Ref. zh. Radiotekhnika i elekrosvyaz', Abs. 6A106

REF SOURCE: Tr. Gruz. politekhn. in-t, no. 4(102), 1965, 101-105

TOPIC TAGS: Q factor, nonlinear inductance circuit, flux linkage, circuit attenuation

ABSTRACT: The determination of the Q-factor of a nonlinear inductance circuit through attenuation is reduced to the evaluation of the attenuation factor of free oscillations. The differential equation derived is solved by the method of harmonic linearization, and a formula for the equivalent Q-factor  $Q_E$  is obtained:

$$Q_E = \frac{\omega}{2 \left[ \alpha + \frac{R \omega^2 n}{2} N(n) \right]}.$$

The formula confirms the drop of the equivalent Q-factor with an increase in oscillation amplitude  $\alpha$  observed in practice and relates it to flux linkage  $B$ , losses in circuit  $R$  and frequency  $\omega$ . Coefficient  $n$  is related to the approximation of

Card 1/2

UDC: 621.372.41:538.56

ACC NR: AR6031178

current dependence on flux linkage. A and N(n) are the coefficients obtained by solving the differential equation. Bibliography has 2 references. [Translation of abstract]

[DW]

SUB CODE: 09/

Card 2/2 4/1

L 4738L-66

ACC NR: AR6031180

SOURCE CODE: UR/0274/66/000/006/A077/A077

AUTHOR: Kharatishvili, N. G.

5  
B

TITLE: Errors in Q-factor measurements by resonance methods in oscillatory ferrite-core circuits in strong h-f fields

SOURCE: Ref. zh. Radiotekhnika i elekrosvyaz', Abs. 6A573

REF SOURCE: Tr. Gruz. politekhn. in-t, no. 4(102), 1965, 107-110

TOPIC TAGS: Q factor measurement, resonance method, Q factor measurement error, ferrite core circuit

ABSTRACT: It is demonstrated that the relative error in Q-factor measurements by the resonance methods with given circuit parameters depends on the accuracy of the tuning of the measured ferrite-core circuit to the resonant frequency. At high values of amplitude fluctuation, such accuracy is very limited. This is due to the temperature dependence of ferrite permeability, to circuit and relaxation demodulation oscillations, to low sensitivity of the ferrite circuit in the resonance region, and so forth. [Translation of abstract]

[DW]

SUB CCDE: 09/

Card 1/1

mjs

UDC: 621.317.74

L 29585-66

ACC NR: AP6009171

SOURCE CODE: UR/0146/65/008/005/0015/0017

AUTHOR: Kharatishvili, N. G.

27  
B

ORG: Leningrad Institute of Fine Mechanics and Optics (Leningradskiy institut tochnoy mekhaniki i optiki)

TITLE: Measuring the Q-factor of circuits that contain nonlinear inductance

SOURCE: IVUZ. Priborostroyeniye, v. 8, no. 5, 1965, 15-17

TOPIC TAGS: electric measurement, electric inductance

ABSTRACT: An attachment is described to a two-beam oscilloscope which permits measuring plots of Q-factor vs. amplitude in ferrite-core-containing circuits. The measurement method is based on the comparison of damped oscillations in linear and nonlinear circuits. The method applicability in a 0.1--15 Mc band and for r-f inductions up to 500 gs is claimed. The damped oscillations are excited by a pulse modulation technique. The point of intersection of two envelopes, on the oscilloscope screen, indicates the equality of Q-factors of the linear and nonlinear circuits and thus permits measuring the latter; an overall error of  $\pm 10\%$  is claimed. Experimental plots of Q vs. induction in a Ni-Zn-ferrite-core for 1, 3, 6 Mc are shown. Orig. art. has: 3 figures.

SUB CODE: 09 / SUBM DATE: 28Jan65 / ORIG REF: 002

Card 1/1

UDC: 621.3.011.3

KHARATISHVILI, N.G.

Measuring the Q-factor of circuits with a nonlinear inductance.  
Izv. vys. ucheb. zav.; prib. 8 no.5:15-17 '65. (MIRA 18:10)

1. Leningradskiy institut tochnoy mekhaniki i optiki. Rekomendovana kafedroy radiopriyemnykh i radioperedayushchikh ustroystv.

KHARATISHVILI, N.G.

Natural oscillations in a circuit with nonlinear inductivity.  
Soob. AN Gruz. SSR 38 no. 3:591-594 Je '65. (MIRA 18:12)

1. Gruzinskiy politekhnicheskiy institut imeni Lenina, Tbilisi.

KHARATISHVILI, N.G.

Determining the quality factor of a nonlinear circuit. Izv. vys.  
ucheb. zav.; prib. 8 no.2:11-13 '65. (MIRA 18:5)

1. Leningradskiy institut tochnoy mekhaniki i optiki. Rekomendovana  
kafedroy radiopriyemnykh i radioperedayushchikh ustroystv.

KHARATOV, S.A., ekonomist

At a seminar on irrigation techniques. Gidr. i mol. 16 no.8:35-43  
AG '64. (MLA 17:10)

1. Glavpredazirsovkhosstroy.

PK 47/49190

USER/Medicine - Supply Bureau,  
Infection  
Medicine - Staphylococci, Toxin

JAN/FEB 49

"Propagation of Potentially Pathogenic  
Staphylococci in the Nasal Mucous Membrane,"  
K. S. Kharats, Chair of Microbiol, Astrakhan  
Med Inst, 2 pp

"West Oto-Rino-Laringol" No 1

Injection of exotoxin produced by staphylococcus  
in the rabbit's nasal cavities acts directly on  
the myocardium. Conducted studies to determine  
the characteristics of staphylococcus.

47/49190

Jan/Feb 49

USER/Medicine - Staphylococci,  
Infection (Contd)

Boiled to determine method to control staphy-  
lococcal infection of upper respiratory passages  
of medical personnel working in surgical hospitals

47/49190

KHARATS, K. S.

KHARATOVA, A.S.; ABDULOVA, R.G.

Late sequelae of epidemic hepatitis in children. Sbor.nauch.trud.  
TashGMI 22:273-277 '62. (MIRA 18:10)

1. Kafedra detskikh infektsiy (zav. kafedroy - prof. Kh.A.Yunusova)  
Tashkentskogo gosudarstvennogo meditsinskogo instituta.

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5

CHKHENKELI, Sh.M.; AMELIN, A.S.; KHARATOVA, I.B.

Radioactivity of fresh-water and mineral springs. Trudy Inst.  
geofiz. AN Gruz. SSR 19:177-191 '60. (MIRA 14:9)  
(Georgia--Water, Underground) (Radioactive substances)

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5"

KHARATS, K.S.

On the relationship between individual species of dysenterial bacteria.  
Zhur.mikrobiol.epid.i immun. 30 no.8:115-116 Ag '59. (MIRA 12:11)

1. Iz kafedry mikrobiologii Stalingradskogo meditsinskogo instituta.  
(SHIGELLA)

FINN, G.R.; KHARATS, K.S.

Bacteriostatic effect of some vitamins. Antibiotiki 5 no.1:121-122  
Ja-F '60. (MIRA 13:7)

Li Kafedra mikrobiologii (zav. L.N.Zelenskaya) Stalingradskogo  
medsinskogo instituta.  
(VITAMINS) (BACTERIOSTASIS)

KHARAT'YAN, A.M.

Delivery of solutions on chromatographic paper. Dokl. AN Uz. SSR  
no.11:41-43 '57. (MIRA 11:5)

1.Tashkentskiy gos. meditsinskiy institut. Predstavlene chlenom-  
korrespondentom AN UzSSR Kh.U. Usmanovym.  
(CHROMATOGRAPHIC ANALYSIS)

KRYZHENKOV, A.N.; KHARAT'YAN, A.M.; FEYGIN, G.A.

Characteristics of protein hydrolysates used in parenteral nutrition. Vop. pit. 18 no. 6:34-41 N-D '59. (MIRA 14:2)

1. Iz kafedr propedevtiki vnutrennikh bolezney sanitarnogo i pediatricheskogo fakul'tetov (zav. - prof. E.I. Atakhanov) i bolezney ukha, gorla i nosa (zav. - prof. I.Yu. Laskov) Tashkentskogo gosudarstvennogo meditsinskogo instituta.  
(AMINO ACIDS)

KHARAT'YAN, A.M.

Clinical significance of a chromatographic analysis of free amino acids in the blood serum and urine in acute epidemic hepatitis.  
Terap. arkh. 32 no. 3:36-43 Mr '60. (MIRA 14:1)  
(HEPATITIS, INFECTIOUS) (AMINO ACIDS)

ATAKHANOV, E.I.; KHARAT'YAN, A.M.

Determination of free amino acids in blood serum of healthy subjects.  
Lab. delo 7 no.6:13-18 Je '61. (MIRA 14:7)

1. Kafedra propedevtiki vnutrennikh bolezney (zav. - prof. E.I.  
Atakhanov) sanitarno-gigiyenicheskogo i pediatricheskogo fakul'tetov  
Tashkentskogo meditsinskogo instituta.  
(AMINO ACIDS) (PAPER CHROMATOGRAPHY)

KHARAT'YAN, A.M.

Use of decalcified paper for chromatography. Lab.delo 7 no.9:  
8-11 S '61; (MIRA 14:10)

1. Kafedra propedevtiki vnutrennikh bolezney sanitarno-gigiyenicheskogo i pediatriceskogo fakul'tetov (zav. - prof. E.I. Atakhanov)  
Tashkentskogo meditsinskogo instituta.  
(PAPER CHROMATOGRAPHY)

ATAKHANOV, E.M., prof.; KHARAT-YAN, A.M.; BUDYANSKIY, M.V.;  
SIAMSUTDINOVA, R.K.

Protein hydrolysates and their use in chronic diseases of the  
intestine. Terap.arkh. 33 no.3:75-83 Mr '61. (MIRA 14:3)

1. Iz kafedry propedevtiki vnutrennikh bolezney (zav. - prof.  
E.I. Atakhanov) pediatriceskogo i sanitarno-gigiyenicheskogo  
fakul'tetov Tashkentskogo meditsinskogo instituta. Chlen-  
korrespondent AN Uzbekskoy SSR (for Atakhanov).  
(PROTEINS) (INTESTINES--DISEASES)

ATAKHANOV, E.I., prof.; KHARAT'YAN, A.M.

Clinical use of protein hydrolysates. Med. zhur. Uzb. no.6:5-11  
Je '61.  
(MIRA 15:1)

1. Iz kafedry propedevtiki vnutrennikh bolezney sanitarno-gigiyenicheskogo i pediatriceskogo fakul'tetov Tashkentskogo gosudarstvennogo meditsinskogo instituta.

(PROTEINS) (PARENTERAL THERAPY)

KHARAT'YAN, A.M.

Amino acid composition of hydrolysin (L-103) and aminopeptide-2.  
Probl. gemat. i perel.krovi no.6:41-45 '61. (MIRA 14:10)

1. Iz kafedry propedevtiki vnutrennikh bolezney (zav. - prof.  
E.I. Atakhanov) pediatriceskogo i sanitarno-gigiyenicheskogo  
fakul'tetov Tashkentskogo gosudarstvennogo meditsinskogo insti-  
tuta (dir. - dotsent A.G. Gulamov).  
(PEPTIDES) (BLOOD PLASMA SUBSTITUTES)

ATAKHANOV, E.I.; KHARAT'YAN, A.M.; BUDYANSKIY, M.V.; YULDASHEV, U.I.;  
SHAMSUTDINOVA, R.K.; YULDASHEV, K.Yu.

State of some metabolic indices in peptic ulcer of the stomach  
and duodenum and the effect on them of hydrolysate therapy.  
Terap.arkh. no.7:85-91 Jl '62.

(MIRA 15:8)

1. Iz kafedry propedevtiki vnutrennikh bolezney (zav. - chlen-korrespondent AMN SSSR i AN Uzbekskoy SSR prof. E.I. Atakhanov) pediatricheskogo i sanitarno-gigienicheskogo fakul'tetov Tashkentskogo meditsinskogo instituta.

(PEPTIC ULCER) (PROTEIN HYDROLYSATES) (NITROGEN METABOLISM)

AIAKHANOV, E.P.; FAYGIN, G.P.; MISHKIN'YAN, A.M.; LEVIN, G.Z.; KARYULIK, M.Y.;  
BROYDE, V.B.

Comparative study of the protein and amino acid composition of  
pathological exudative fluids. Vop. med. khim. 10 no.2:134-139  
Mr-Apr '64.

(MTRG 1271)

1. Kafedra proyedovatel'ki vnutrennikh bolezniy sanitarno-gigienicheskogo  
i pediatricheskogo fakultetov Tashkentskogo gosudarstvennogo meditsinskogo  
instituta; Uzbeckiy nauchno-issledovatel'skiy institut hematologii  
i perelivaniya krovi i Tashkentskaya ob'yedinenaya bol'ница.

KHARAT'YAN, Al'fred Mikhaylovich; FEYGIN, Georgiy Aronovich;  
ATAKHANOV, E.I., prof., red.; AVAKIMOVA, L.A., red.

[Paper chromatography of amino acids in clinical biochemistry]  
Bumazhnaya khromatografiya aminokislot v klinicheskoi biokhimii.  
Tashkent, Meditsina, 1965. 70 p. (MIRA 18:8)

1. Chlen-korrespondent AMN SSSR i AN UzbekSSR (for Atakhanov).

KHARAT'YAN, A.M.; YULDASHEV, K.Yu.

Characteristics of the amino acid composition of protein hydrolysate produced by Central Institute of the Order of Lenin of Hematology and Blood Transfusion. Probl. gemat. i perel. krovi 10 no.2: 52-55 F '64.  
(MIRA 19:1)

1. Kafedra propedevtiki vnutrennikh boleznoy (zav. - chlen-korrespondent AMN SSSR i AN UzSSR prof. E.I. Atakhanov) sanitarno-gigiyenicheskogo i pediatricheskogo fakul'tetov Tashkentskogo meditsinskogo instituta.

ROMANOVA, V.P.; PETROVSKIY, I.N.; SMOVA, A.G.; MIKOL'SKAYA, T.A.; SHMATKO,  
R.V.; KORENKO, A.A.; BALABAROVA, V.I.; LIPARSKAYA, V.G.; KPARAT'YAN,  
M.A.; KOMPANEETS, Ye.M.

Outbreak of Q fever in the Krasnodar Province. Zhur.mikrobiol.epid.i  
zdrav. 23 no.6:29-33 Je '57.  
(MIRA, 10:19)

I. Iz Rostovskogo instituta epidemiologii, mikrobiologii i gizyery,  
kafedry infektsionnykh bolezney Rostovskogo meditsinskogo instituta,  
Rostovskogo instituta Ministerstva zdravookhraneniya SSSR i Oblastnoy  
Krasnodarskoy sanitarno-epidemiologicheskoy stantsii  
(Q FEVER, epidemiology,  
in Russia (Rus))

KHARATYAN, Svetlana G.

Contribution to the classification of *Actinomyces antibioticus*.  
Folia microbiol. 7 no.4:239-242 '62.

1. Department of Antibiotics, Institute of Microbiology, Czechoslovak  
Academy of Sciences, Prague 6.  
(STREPTOMYCES)

OSTROVSKIY, D.N.; KHARAT'YAN, Ye.F.; GEL'MAN, N.S.

Effect of pancreatic lipase on the protoplasts of *Micrococcus lysodeikticus* in connection with the problem of the localization of respiratory enzymes in bacteria. *Biokhimiia* 29 no. 1: 154-160 Ja-F '64.  
(MIRA 18:12)

1. Institut biokhimii imeni Bakha AN SSSR, Moskva. Submitted June 22, 1963.

ACC NR: AP7000141

SOURCE CODE: UR/0046/66/012/004/0399/0404

AUTHOR: Andreyeva, I. B.; Kharat'yan, Ye. G.

ORG: APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000721810007  
Russia; Moscow (Akusticheskiy institut AN SSSR)

TITLE: Sound scattering by the ocean surface and by near-surface sound-scattering layers

SOURCE: Akusticheskiy zhurnal, v. 12, no. 4, 1966, 399-404

TOPIC TAGS: scattering, sound, ~~scattering~~, grazing angle, ocean ~~scattering~~, acoustic scattering, acoustic

ABSTRACT:

The results of an investigation of sound scattering by the near-surface layers of the ocean conducted by the research vessel "Mikhail Lomonosov" in the Western equatorial region of the Atlantic Ocean in September—November 1963 are described. Underwater explosions served as acoustic sources, while a ceramic sphere located a short distance above the point of explosion was the hydrophone. The depth of the whole system was varied between 200 and 500 m. The absolute values of the effective surface backscattering coefficients ( $\sigma$ ) were determined from the recorded scattering. The frequency dependence of  $\sigma$  as well as its variation with the grazing angle were also obtained within the limits of 1–40 kc and 10–60°, respectively. It was established that at

ACC NR: AP7000141

grazing angles less than 30° and at frequencies of 3-10 kc, the scattering field is determined primarily by volume scattering and not by scattering by nonhomogeneities of the air-water interface. At grazing angles greater than 30° and at frequencies of 1-2 kc and 10-40 cps, scattering is believed to be caused by surface nonhomogeneities. Orig. art. has: 6 formulas and 4 figures.

SUB CODE: 08/ SUBM DATE: 01Jun65/ ORIG REF: 006/ OTH REF: 007/ ATD PRESS: 5112

Card 2/2

CA

Synergism of cobalt salts and nitrates in the experimental therapy of cyanide intoxication. O. P. Ostrikov and N. A. Kharasova. *J. Physiol.* (U. S. S. R.) 21, 633 (1958); *Chem. Zentralbl.* 1958, II, 1445.—The use of a mixture of  $\text{NaNO}_3$  and  $\text{Co}(\text{NC})_5$ , as an antidote in cyanide poisoning has a better curative action than either of the antitoxins used separately. M. G. Moore

## A10.3.E METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5"

KHARAUZOV, Nikolay Aleksandrovich.

All-Union Sci Res Sanitary-Chemical Inst. Academic degree of Doctor of Medical Sciences, based on his defense, 11 November 1954, in the Council of the Institute of Experimental Medicine, Acad Med Sci USSR, of his dissertation entitled: "Pharmacotherapy of Experimental Hyperkineses of Central Origin (method and means of discovering substances suitable for treating patients with symptoms of Parkinsonism)."

Academic degree and/or title: Doctor of Sciences

SO: Decisions of VAK, List no 1G, 30 Apr 55, Byulleten' MVO SCSR,  
No. 15, Aug 56, Moscow, pp. 5-24, Uncl. JPRS/NY-537

KHARAUZOV, N. A.

"Graphic Recording of Arecoline Hyperkinesis in Pigeons," a report presented at the 562nd meeting of the Pharmacology and Toxicology Section, Leningrad Society of Physiologists, Biochemists, and Pharmacologists im. I. M. Sechenov, 30 Nov 54, Farm. i Toks., Ju-Aug. 55, pp 60-63

Division of Pharmacology, Inst. of Experimental Medicine

Sum. 900, 26 Apr 56

KHARAUZOV, N.A.

Brief characteristic of pharmacological studies performed after  
the Great October Revolution. *Fiziol. zhur.* 43 no.11:1065-1071  
N '57. (MIRA 10:12)

1. Institut eksperimental'noy meditsiny AMN SSSR, Leningrad.  
(PHARMACOLOGY,  
in Russia (Rus))

KHARAUZOV, N.A., prof., red.; MIKHAYLOV, V.P., red.; BLYUMENAU, D.I.,  
tekhn. red.

[Achievements and ways of developing some branches of experimental  
medicine; reports of scientists of the Institute of Experimental  
Medicine of the Academy of Medical Sciences of the U.S.S.R. on the  
40th anniversary of the Great October Socialist Revolution] Itogi i  
puti razvitiia nekotorykh razdelov eksperimental'noi meditsiny;  
dokladы uchenykh IEM AMN SSSR, posviashchennye 40-letiiu Velikoi  
Oktiabr'skoi sotsialisticheskoi revoliutsii. Pod red. N.A.Kharauzo-  
va. Leningrad, 1958. 77 p.  
(MIRA 14:7)

1. Akademiya meditsinskikh nauk SSSR, Moscow. Institut eksperi-  
mental'nyi meditsiny.

(MEDICINE, EXPERIMENTAL)

KHARAUZOV, N.A., prof., glavnnyy red.; MIKHAYLOV, V.P., prof., zamestitel' glavnogo red.; BIRYUKOV, D.A., prof., otd.red.; AVETIKIAN, B.G., doktor biol.nauk, red.; ANICHKOV, N.N., akademik, red.; ANICHKOV, S.V., prof., red.; ARBUZOV, S.Ya., prof., red.; VESELIKIN, P.N., prof., red.; VOYNO-YASNETSKIY, M.V., prof., red.; DANILOV, I.V., kand.biol.nauk, red.; ZHABOTINSKIY, Yu.M., prof., red.; ZHINKIN, L.N., prof., red.; IL'IN, V.S., red.; IOFFE, V.I., prof., red.; KARASIK, V.M., prof., red.; KUPALOV, P.S., prof., red.; MANINA, A.A., kand.med.nauk, red.; NEYPAKH, S.A., doktor biol.nauk, red.; RIKKL', A.V., prof., red.; SVETLOV, P.G., prof., red.; SMORODINTSEV, A.A., prof., red.; CHISTOVICH, G.N., doktor med.nauk, red.; BESEDIN, I.K., tekhn. red.

[Yearbook of the Institute of Experimental Medicine of the Academy of Medical Sciences of the U.S.S.R. for 1958] Zhegodnik za 1958 god. Leningrad, 1959. 538 p. (MIRA 14:1)

1. Akademiya meditsinskikh nauk SSSR, Moscow. Institut eksperimental'noy meditsiny. 2. Chleny-korrespondenty Akademii meditsinskikh nauk SSSR (for Biryukov, Veselkin, Il'in, Ioffe, Karasik, Svetlov, Smorodintsev). 3. Deyatvitel'nyye chleny Akademii meditsinskikh nauk SSSR (for Anichkov, S.V., Kupalov).

(MEDICINE, EXPERIMENTAL)

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5

Kirauzy, H. A.

"Effect Of Arecoline Upon Inhibition Contribution To The Pharmacology Of Cholinergic Structures Of The Central Nervous System."

report submitted for the 21st International Congress of Physiological Sciences,  
Buenos Aires, 9-15 Aug 1959.

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5"

S/773/59/000/000/001/001  
I015/I215

AUTHORS: Biryukov, D.A., and Kharauzov, N.A.

TITLE: Main trends in the development and activities of  
the Institute of Experimental Medicine AMS USSR  
in 1959-65

SOURCE: Yezhegodnik za 1958 god Instituta eksperimental'noy  
meditsiny AMN SSSR. Leningrad, Izd. IEM AMN SSSR,  
1959, 5-13

TEXT: The following problems were studied in the Institute  
in 1958: 1) physiology and pathology of higher nervous activity  
in man and animals; 2) the basic physiological functions and their  
nervous and humoral regulation; 3) metabolism and the mechanism  
of its regulation; 4) infections and immunity; 5) arteriosclerosis  
and hypertension; 6) the mechanism of drug effect and search .  
Card 1/3

S/773/59/000/000/001/001  
I015/I215

Main trends in the development....

for new pharmacological and chemotherapeutic means; 7) histogenesis, embryogenesis and regeneration; 8) radiation sickness. The trends for the coming 7 years as indicated at the XXI Party Congress include as well investigations on the evolution of inhibitory and excitatory processes, conditioned reflexes, the nervous mechanisms of humoral regulation processes, and the effect of various physical factors on the organism (penetrating radiation and ultrasonics). These studies aim at the elaboration of new methods, the selection of adequate indices and for the interpretation of results (instead of the study of conditioned motor reflexes as hitherto). Studies on comparative pathology and the evolution of organic pathology of CNS will be carried out on: a) coordination between the cerebellum, vestibular system and cerebral cortex; b) the evolution of defence mechanisms, particularly the organic and functional com-

Card 2/3

S/773/59/000/000/001/001  
I015/I215

Main trends in the development...

pensation of nervous disorders. The morphological aspect will be studied intensely, and histochemical and autoradiographic methods will be applied for metabolic studies at the cell level. Improvements in the administration and organisation of the Institute in order to obtain greater efficiency in research projects and scientific results, is another aspect of the planning. A special Plenum called by the TsK KPSS will discuss the problems of modernisation, mechanisation and automation in industry, improvement of the quality of industrial products and cutting down of overhead expenses. These problems being for scientists, and the Institute will participate in these efforts -- mainly in the elaboration of modern recording methods and rapid analysis techniques.

Card 3/3

BIRYUKOV, D.A., prof., otv. red.; KHARAUZOV, N.A., prof., glav. red.;  
MIKHAYLOV, V.P., prof., zam. glav. red.; ABDULLIN, G.Z., red.;  
YALIZAROVA, N.A., tekhn. red.

[Yearbook of the Institute of Experimental Medicine] Ezhegodnik.  
Leningrad. Vol.5.[for 1959] Za 1959 god. 1960. 577 p. (Its:  
Trudy) (MIRA 16:3)

1. Akademiya meditsinskikh nauk SSSR, Moscow. Institut eksperimental'noy meditsiny. 2. Chlen-korrespondent Akademii meditsinskikh nauk SSSR (for Biryukov).

(MEDICINE, EXPERIMENTAL--YEARBOOKS)

KHARAUZOV, N.A.

"Data on the effects of some pharmacological agents in cholesterol metabolism and blood lecithin."

Report submitted for the 1st Intl. Pharmacology Meeting  
Stockholm, Sweden      22-25 Aug 1961.

BIRYUKOV, D.A., prof., otv. red.; KHARAUZOV, N.A., prof., glav. red.; MIKHAYLOV, V.P., prof., zam. glav. red.; MAKAROVA, V.V., tekhn. red.

[Yearbook of the Institute of Experimental Medicine for 1960]  
Ezhegodnik za 1960 god. Leningrad, (Its: Trudy). Vol.6. 1961.  
552 p. (MLA 15:11)

1. Akademiya meditsinskikh nauk SSSR, Moscow. Institut eksperimental'noy meditsiny. 2. Chlen-korrespondent Akademii meditsinskikh nauk SSSR (for Biryukov).  
(MEDICINE, EXPERIMENTAL)

KHARAUZOV, N.A.

Data on the effect of pharmacological agents on cholesterol metabolism  
and the content of lecithin in the blood (the pharmacotherapy of  
atherosclerosis). Vest. AMN SSSR 16 no.11:40-47 '61. (MLA 15:2)  
(CHOLESTEROL METABOLISM) (LECITHIN)  
(ATHEROSCLEROSIS) (DRUGS)

OVAKIMOV, V.G.; KHARAUZOV, N.I. [deceased]; LISUNKIN, Yu.I.

Pharmacological characteristics of some tropine compounds.  
Farm. i toks. 27 no.1:7-12 Ja-F '64.

(MIRA 17:11)

1. Laboratoriya eksperimental'noy farmakologii (zav. - prof. N.A. Kharauzov [deceased]) ot dela farmakologii (zav. - deystvitel'nyy chlen AMN SSSR prof. S.V. Anichkov) Instituta eksperimental'noy meditsiny AMN SSSR.

KHARAUZOV, N.A. [deceased]

Pharmacology of the brain stem. Farm. i toks. 27 no.3:259-260  
My-Je 't4. (MIRA 18:4)

1. Laboratoriya eksperimental'noy farmakoterapii (zav. prof.  
N.A.Kharauzov [deceased]) otdela farmakologii Instituta eksperi-  
mental'noy meditsiny AMN SSSR, Leningrad.

KHARAUZOV, N.A.

Change in the blinking rate as an indication to the functional state of the choline and adrenergic structures of the brain stem.  
Fiziol.zhur. 50 no.4:400-406 Ap '64.

(MIRA 18:4)

1. Otdel farmakologii Instituta eksperimental'noy meditsiny AMN  
SSSR, Leningrad.

Z/019/62/019/006/003/003  
D006/D102

AUTHOR: Kharavin, S.P.

TITLE: Determination of the economical vacuum value for power plants with a central cooling-water pumping station

PERIODICAL: Přehled technické a hospodářské literatury. Energetika a elektrotechnika, v. 19, no. 6, 1962, 261, abstract # E 62-3508. Elektr. Stantsii 32, November 1961, no. 11, 29-33

TEXT: The article presents a general method of determining the economical vacuum which is especially suitable for power plants with turbines of the same type. The method requires a minimum of operational measurements. The original article contains 5 figures. [Abstracter's note: Complete translation.] ✓

Card 1/1

PARDZIANADZE, L.K.; KHARAYSHVILI, G.I.; GAVRILENKO, B.D.

State of the vegetative cover and erosion phenomena in the  
Tabakhmela-Khevi River basin. Trudy Inst. lesa AN Gruz. SSR 10:  
79-104 '62.  
(MIRA 17:3)

KHARATISHVILI, G.

Optimal processes with respect to output in linear control systems with delayed actions. Tbilisi N. Gogebashvili Institute of Mathematics and Cybernetics, Tbilisi, Georgia, USSR 322000, 1964.  
(MERA 1717)

To: Kharkov Institute of Physics and Mathematics  
From: Institute of Mathematics, Tbilisi, Georgia

RAYEV, I.I.; KHARAZ, I.B.

Effect of slag composition on the quality of high manganese steel  
castings. Lit.proizv. no.3:8-10 Mr '62. (MIRA 15:3)  
(Slag--Analysis) (Steel castings)

RAYKHER, L.D.; VASIL'YEV, Yu.A.; KHARAZ, I.I.

Method and technique of field work using the plane front method.  
Neft. i gaz. prom. no.3:11-13 J1-S '64. (MIRA 17:12)

KHARAZ, I.I.; RAYKHER, L.D.

The  $\frac{t}{2}$  line method in seismic reflection prospecting. Razved.  
i prom. geofiz. no. 34:29-33 '60. (MIRA 13:12)  
(Seismic prospecting)

KHARAZ, I.I.; BOYKO, V.N.

Some results of the use of group explosions within the outer  
zone of the Ciscarpathian downwarping. Razved. i prom. geofiz.  
no. 35:24-29 '60. (MIRA 13:12)  
(Carpathian Mountain region---Seismic prospecting)

KHARAZ, I.I.

Dislocations in the outer zone of the Ciscarpathian trough,  
Geofiz. sbor. no. 5:115-121 '63. (MIRA 17:5)

1. Zapadnoukrainskaya geofizicheskaya razvedochnaya  
ekspeditsiya tresta "Ukregeofizrazvedka".

RAYKNER, L.D.; VASIL'YEV, Yu.A.; KHARIZ, I.I.; SAGALOVA, Ye.I.

Disturbances in pattern shooting on large prospecting areas.  
Razved. i okh. nadr. 30 no.3:44-48 Mr '64 (MIRA 18:1)

1. Ukrainskiy nauchno-issledovatel'skiy geologorazvedochnyy  
institut.

L 62974-65 EMT(1)/EWA(h) ... CM  
ACCESSION NR: AP5018286

UR/0387/65/000/006/0010/0022  
550.834.5

AUTHOR: Benderskiy, V. Ya.; Vasil'yev, Yu. A.; Zaykher, L. D.; Kharaz, I. I.

TITLE: Elements of the theory of variable control of seismic wave fronts

SOURCE: AN SSSR. Izvestiya. Fizika zemli, no. 6. 1965, 10-22

TOPIC TAGS: seismic wave, shock wave front, geologic exploration, hodograph

ABSTRACT: The theory of controlling the shape of seismic wave fronts by active interference of waves at the source of elastic vibrations is studied. This interference is accomplished by grouping charges over short distances, or by directed linear wave sources. An analytic solution is obtained for the direct and inverse three-dimensional problems of seismic prospecting by the reflected wave method. Point, line, and surface sources are discussed in detail for an arbitrary configuration of the reflecting surface. It is shown that a three-dimensional travel-time curve can be produced for a reflected wave with a predetermined shape by constructing a null isochron of the corresponding configuration. It is shown that the coordinates of the null isochron are continuous and single-valued functions of the coordinates of the reflecting surface and the three-dimensional travel-time curve of the

Card 1/2

L-62974-65  
ACCESSION NR: AP5018286

2

reflected wave. The null isochron, reflecting surface, and travel-time curve of the reflected wave are members of a single, closed system; if two of these parameters are given, the third can be uniquely determined. An analytic expression is given for the delay time which must be used with a group of charges in order to obtain the travel-time curve in a given form. Orig. art. has: 33 formulas, 4 figures.

ASSOCIATION: Ukrainskiy nauchno-issledovatel'skiy geologorazvedochnyy institut  
(Ukrainian Scientific Research Institute for Geological Exploration)

SUBMITTED: 12Jun64

ENCL: 00

SUB CODE: ES

NO REF Sov: 006

OTHER: 000

Card 2/2

RAYKHER, L.D.; BENDERSKIY, V.Ya.; VASIL'IEV, Yu.A.; KHARAZ, I.I.

Increasing the geological efficiency of seismic prospecting in  
the inner zone of the cis-Carpathian trough and the southwestern  
part of the Russian Platform. Neft. i gaz. prom. 3:12-14  
Jl-S '65. (MIRA 18:11)

VASIL'YEV, Yu.A.; RAYKHER, L.D.; SAGALOV<sup>Y</sup>, Ye.I.; KHARAZ, I.I.

The flat front technique in the method of reflected waves.  
Prikl. geofiz. no.38:25-44 '64. (MIRA 18:11)

L 21793-66 EFT(1)/EMI(h) CM  
ACC NR: AP6002919

(N)

SOURCE CODE: UR/0286/05/000/024/0032/002

(1)

AUTHORS: Raykher, L. D.; Benderskiy, V. Ya.; Vasill'yov, Yu. A.; Rapoport, M. B.;  
Aharuz, I. I.; Chervonskiy, M. I.

14  
3

CRG: none

TITLE: A method for seismic exploration. Class 42, No. 177103 (announced by  
Ukrainian Scientific Research Geological Exploration Institute (Ukrainskiy nauchno-  
issledovatel'skiy geologorazvedochnyy institut))

SOURCE: Byulleten' izobreteniij i tovarnykh znakov, no. 24, 1965, 82

TOPIC TAGS: seismograph, Seismology

ABSTRACT: This Author Certificate presents a method for seismic exploration with  
the use of controlled directional excitation systems (operating along any specified  
principle) and systems of vibration reception. The method increases the effectiveness  
of exploration and provides a unique selection of seismic waves from the irradiated  
objects. The interference systems in the vibration reception are coordinated  
with interference systems of the vibration excitation. This is accomplished by  
summing up displacements of any number of recordings based on a previously specified  
relationship which agrees with the vibration excitation principle.

SUB CODE: 08/ SUBM DATE: 20Jul64

Card 1/1 ULA

UDC: 550.834

L 04047-67 EWT(1) QW

ACC NR: AR6019892

SOURCE CODE: UR/0169/66/000/002/D023/D024

26

25

B

AUTHOR: Kharaz, I. I.

TITLE: Use of methods of grouped shots over large areas in the study of disturbed zones

SOURCE: Ref. zh. Geofizika, Abs. 2D156

REF SOURCE: Tr. Ukr. n.-i. geologorazved. in-t, vyp. 11, 1965, 106-112

TOPIC TAGS: seismic wave, seismogram, seismic exploration, fracture zone, diffracted wave, reflected wave, wave travel time, seismic wave propagation

ABSTRACT: An analysis of diffracted waves arising in the process of seismic exloration zones of fracture contributes to an understanding of these disturbances. There are essential differences in the kinematic characteristics of diffracted and reflected waves produced by long base shots (using plane and directed plane front methods), and these may be used to identify diffracted waves on the seismogram. An equation for a diffracted wave is derived for use with the directed plane front method. The author shows that travel-time curves for diffracted waves are

Card 1/2

UDC: 550.834

ACC NR: AT6028962

SOURCE CODE: UR/0000/65/000/000/0003/0025

AUTHOR: Raykher, L. D.; Vasil'yev, Yu. A.; Kharaz, I. I.

ORG: Ukrainian Scientific Research Institute of Geological Prospecting  
(Ukrainskiy nauchno-issledovatel'skiy geologorazvedochnyy institut)

TITLE: Application of linear vibration sources in the method of reflected waves

SOURCE: Vsesoyuznyy seminar po novoy metodike seysmorazvedki...  
Seysmorazvedka s primeneniyem gruppirovaniya vzryvov na dlinnykh bazakh  
i sposoba tsentral'nykh luchey (Seismic prospecting using the grouping  
of shots on long bases and the method of central rays); trudy seminara,  
Moscow, Izd-vo Nedra, 1965; 3-25

TOPIC TAGS: seismic modeling, seismic prospecting, seismography,  
underground explosion, geologic exploration, seismic wave, tectonics

ABSTRACT: An analysis is made of travel-time curves of reflected waves generated by linear sources obtained by the plane wave-front method (SPF) and the directed plane wave-front method (UPF). It is pointed out that the shifting of the reflected wave limits the use of SPF, and in regions with steeply sloping interfaces it is advantageous to use UPF. In tracing faults the use of SPF and UPF makes it possible to

Card 1/2

ACC NR: AT6028962

improve detection of diffracted waves from the different shapes of the travel-time curves for reflected and diffracted waves. The choice of the shot-point parameters takes into account generation of interference and noise, the curvature of the reflecting interface, and the specific characteristics of the amplitude field of the reflected wave. By varying the shot spread parameters, it is possible to attenuate the even waves in the upper part of the cross section. Under laboratory conditions SPF and UPF may be compared by summing using special vibration patterns from single explosions within the geophone spread area. Studies are made of the method of processing seismograms, the interpretation of observed travel-time curves and their corrections, and methods of compiling cross sections. Analysis is performed of the accuracy of determination of geotectonic structure by SPF, UPF, and profiling by MOV. An example of successful use of UPF is given for a region with a complex geological structure. Orig. art. has: 9 figures and 9 formulas.

SUB CODE: 08/ SUBM DATE: 30Apr65/ ORIG REF: 017

Card 2/2

ACC NR: AR6016962

SOURCE CODE: UR/0169/65/000/012/D022/D022

AUTHOR: Raykher, L.D.; Vasil'yev, Yu.A.; Kharnaz, I.I.; Gasilovskiy, K.S.; Sagalova, Ye. I.

TITLE: Methodology of flat front (SPP) and central rays (STS<sub>L</sub>) work techniques for regions with complex seismological conditions at depth

SOURCE: Ref. zh. Geofizika, Abs. 12D146

REF SOURCE: Tr. Ukr. n.-i. geologorazved. in-t, vyp. 10, 1965, 3-9

TOPIC TAGS: seismology, seismic prospecting, ~~seismic prospecting methodology~~, flat front seismic prospecting, central rays seismic prospecting

ABSTRACT: Results of research for the establishment of theoretical bases, methodology and observation techniques for the use of the STS<sub>L</sub> and the SPP methods for complex seismological conditions are presented. The basic volume of STS<sub>L</sub> work was done within the limits of the Outer zone of the Precarpathan deflection (9.1 km) and in the Post-carpathia (3.6 km). The distance between PB was taken as 100 m; a mixed grouping of 30 Seismic detectors on a base of 30 and 60 m. was used. Use of this method both for recon and for detailed search is noted. Combination of the method with ordinary profiling is useful. For SPP, theory of spacial interpretation was developed and optimum sequence of operations determined for field work. SPP can be used either with profiling or independently in those cases where common methods do not guarantee the necessary reliability of the results. [Translation of abstract].

Card 1/1

SUB CODE: 08

UDC: 550.834.5

ACC NR: AR6022470

SOURCE CODE: UR/0169/66/000/003/D022/D022

AUTHOR: Raykher, L. D.; Vasil'yev, Yu. A.; Kharaz, N. I.

TITLE: The method of controlled flat front and its field procedure as a modification of the MOV method of seismic prospecting

SOURCE: Ref. zh. Geofiz., Abs. 3D137

REF SOURCE: Tr. Ukr. n.-i geologorazved. in-t, vyp. 11, 1965, 100-105

TOPIC TAGS: seismic prospecting, geologic survey

TRANSLATION: The method of controlled flat front essentially consists of turning the flat front of the emitted seismic wave through a predetermined angle from the day surface to insure the parallelism of this front to the reflecting surface. In such a case, slopes of the line of shot moments and of the trace of the reflected wave are equal, though opposite in sign. The total time of retardation produced by this method may be determined from these two, provided that the principle of symmetry is complied with. Distances  $l$  between the points of shots, which contribute to the formation of a flat wave at depth  $H$ , can be determined from the formula:

$$l = \frac{1}{\cos \alpha} \sqrt{\frac{\lambda H}{N-1}}$$

Card 1/2

UDC: 550.834

ACC NR: AR6022470

where  $\lambda$  is the wavelength,  $N$  is the number of flat waves in the emitted group, and  $\alpha$  is the angle of inclination of the flat front. Distances between the reception points are selected in the same way as in the SPF method (RZh Gfiz, 1965, 2D160). As a rule the bases of emission and reception are coincident. Neighboring setups are serviced by one or more channels. G. Shekhtman.

SUB CODE: 08

Card 2/2

NEMTSOV, G.F., inzh.; KHARAZ, Ya.S., inzh.

Automated production line for the manufacture of acoustic tiles.  
Stroi. i dor. mash. 9 no.9:26-29 S '64.

(MIEA 17:11)

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5

KHARAZDA, M. (Pol'sha)

Pathological anatomy of tuberculosis based on resection material.  
Probl. tub. 42 no.8:67-69 '64.

(MIRA 18:12)

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721810007-5"

KHARAZI, L.A.

2785. Faktory rosta natsional'noga dokhoda SSSR. Tbilisi, 1954, 21c.22cm. (Tbilis.  
Gos. un-T im. Stalina) 100 zkz. Biespl.- (54,54894)

SO: Knizhnaya Letopis, Vol. 2, 1955

KHARAZISHVILI, G. D., CAND MED SCI, "MATERIAL ON THE  
PROBLEM OF ABSORPTION FRON THE RECTUM." KUYBYSHEV, 1960.  
(MINISTRY OF HEALTH RSFSR, KUYBYSHEV STATE MED INST, CHAIR  
OF HOSPITAL SURGERY). (KL, 3-61, 236).  
*Reста for*

480

KHARAZISHVILI, G.D.

Role of the autonomic nervous system in absorption from the rectum.  
Soob.AN Gruz.SSR 26 no.2:213-217 '61. (MIRA 14:4)

1. Tbilisskiy gosudarstvennyy meditsinskiy institut. Predstavлено  
членом-корреспондентом Академии А.Н.Бакурадзе.  
(RECTUM—INNERVATION)

KHARAZISHVILI, K.V.

KHARAZISHVILI, K.V.

May beetles as tree pests in Georgia. Soob. N Grus. SSR 14 no.7:  
427-434 '53.

(MLRA 7:5)

1. Akademiya nauk Grusinskoy SSR Institut zashchity rasteniy, Tbilisi.  
(Georgia--June bug (Lachnostenus))

USSR/General and Systematic Zoology. Insects. Harmful  
Insects and Acarida. Forest Pests.

P

Abs Jour : Rof Zhur - Biol., No 3, 1959, № 11683

Author : Kharazishvili, K.V.

Inst : Instituto of Plant Protection AS GeorgSSR.

Title : On the Study of the Oak-Shoot Moth (*Steno-*  
*lochia gemella L.*) in Georgia.

Orig Pub : Tr. In-ta zashchity rast. AN GruzSSR, 1957, 12,  
177-180

Abstract : A description of the butterfly, caterpillar and  
chrysalis. In Georgia, the moth was noted in 1953-  
1954; it damaged oaks of all ages. After hatching,  
the caterpillar bores into the shoot at its base  
and, feeding on the pith, gnaws through a passage,  
5-6 cm. in length. The length of the dying-off  
shoots are, on the average, 10-15 cm; less common,

Card : 1/2

USSR/Gonoral and Systematic Zoology. Insects. Harmful  
Insects and Acarids. Forest Posts.

P

Abs Jour : Rof Zhur - Biol., No 3, 1959, № 11683

30-45 cm. Gall is formed on the shoot; the leaves  
become spotty, later on they turn yellow, roll  
up and die off. The deformed shoot dries up and  
breaks off. Pupation, inside the shoot, is less  
common on the trunk incracks of the bark under  
the cover of moss and lichen. The flight of the  
caterpillars of the first generation takes place  
in May-June; of the 2nd, in August-September.  
-- A.P. Adrianov.

Card : 2/2

- 52 -

KHARAKISHVILI, K.V.

KHARAKISHVILI, K.V.: "Results of studying the harmful entomofauna of the protective forest strips of the eastern portion of the Kolkhid lowlands". Tbilisi, 1955. Published by the Acad Sci Georgian SSR. Inst of Plant Conservation, Acad Sci Georgian SSR. (Dissertations for the Degree of Candidate of Agricultural Sciences).

SO: Knizhnaya letopis' № 45, 5 November 1955. Moscow.

KHARAZISHVILI, K.V.

Principal injurious insects in the forest shelterbelts of the  
Colchian Lowland (Georgian S.S.R.) [with summary in English].  
Zool. zhur. 36 no.5:691-699 My '57. (MIRA 10:7)

1. Institut zashchity rasteniy AN Gruzinskoy SSSR.  
(Colchis--Forest insects)

KHARAZISHVILI, K.V.

Importance of abiotic factors (moisture, temperature, etc.) to some  
pests developing within trees in Georgia. Vop. ekol. 7:193-195 '62.

(MIRA 16:5)

1. Institut zashchity rasteniy AN Gruzinskoy SSR, Tbilisi.  
(Georgia—Forest insects)